



Mt Thorley Warkworth EPL Monitoring Data

Published 20 February 2018 FOR THE MONTH ENDING 31 January 2018

Name of Operation	Mount Thorley Coal Loader
Environment Protection Licence	24
Licensee	Mount Thorley Coal Loading Ltd
Premises	Mount Thorley Coal Loading Ltd Mount Thorley Road, Mount Thorley Via Singleton NSW 2330
EPL Link	http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&SYSUID=1&LICID=24
Name of Operation	Mount Thorley Operations
Environment Protection Licence	1976
Licensee	Mount Thorley Operation Pty Limited
Premises	Mount Thorley Operations Mount Thorley Road Mount Thorley NSW 2330
EPL Link	http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=123990&SYSUID=1&LICID=1976
Name of Operation	Warkworth Coal Mine
Environment Protection Licence	1376
Licensee	Warkworth Mining Ltd
Premises	Warkworth Coal Mine Putty Road Mount Thorley NSW 2330
EPL Link	http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=121545&SYSUID=1&LICID=1376

1 INTRODUCTION

This report has been compiled to provide a summary of environmental monitoring results for Mt Thorley Warkworth in accordance with Environment Protection Licences 24, 1376 and 1976. This report includes all monitoring data collected in accordance with the aforementioned Licences for the period 1st January – 31st January 2017.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge and effluent quality; and
- Blast monitoring.

Monitoring locations are shown in Figure 1.

2 AIR QUALITY

In accordance with the requirements of Condition M2.2 (WML 1376 and MTO 1976), Mount Thorley Warkworth maintains a network of five PM_{10} monitors. The following monitoring locations (EPA Monitoring Points 9, 10, 11, 12 and 13) are listed on the Licences for the purpose of monitoring:

- EPA Identification Number 9 (WML 1376) Warkworth North
- EPA Identification Number 10 (WML 1376 & MTO 1976) Dragline Crossing
- EPA Identification Number 11 (WML 1376 & MTO 1976) Heavy Vehicle Bridge
- EPA Identification Number 12 (WML 1376 & MTO 1976) MTIE
- EPA Identification Number 13 (MTO 1976) MTO Boundary

Results of Particulates (PM₁₀) monitoring (EPA Monitoring Points 9, 10, 11, 12 and 13) are shown in Table 1. Results reported represent the 24hr average PM₁₀, derived from 10 minute PM₁₀ values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 31^{st} January 2018; the data was obtained on the 1^{st} February 2018.

YANCOAL AUSTRALIA LTD PAGE 2 OF 13

TABLE 1: PARTICULATE MATTER < 10 µM MONITORING

_		Monitoring			Monitoring Point		
Date	Unit of Measure	Frequency & Capture	Warkworth North	MTO Boundary	Dragline Crossing	Heavy Vehicle Bridge	MTIE
1/01/2018	μg/m³		#	#	#	#	#
2/01/2018	μg/m³	1	15.8	19.9	23.1	21.8	15.9
3/01/2018	μg/m³	1	13.0	18.8	20.7	25.1	#
4/01/2018	μg/m³	1	8.5	10.7	14.2	19.0	8.7
5/01/2018	μg/m³	1	9.0	10.4	17.2	18.4	8.4
6/01/2018	μg/m³	1	10.6	12.9	22.1	16.8	10.8
7/01/2018	μg/m³	1	8.8	12.8	37.8	20.7	10.9
8/01/2018	μg/m³	1	13.5	21.4	30.2	26.5	16.4
9/01/2018	μg/m³	1	18.0	21.7	25.4	22.8	18.3
10/01/2018	μg/m³	1	15.6	21.8	24.0	21.7	14.8
11/01/2018	μg/m³	Continuous	11.6	15.8	17.9	19.1	9.8
12/01/2018	μg/m³	1	16.7	19.6	23.5	25.8	11.1
13/01/2018	μg/m³	1	7.6	13.5	33.9	16.3	#
14/01/2018	μg/m³	1	5.6	7.8	11.1	11.2	5.8
15/01/2018	μg/m³	1	5.5	#	8.8	7.4	#
16/01/2018	μg/m³	1	7.1	11.0	13.3	12.1	#
17/01/2018	μg/m³	1	5.4	14.1	21.0	18.3	#
18/01/2018	μg/m³	1	6.8	10.7	19.2	13.9	#
19/01/2018	μg/m³	1	12.1	16.2	23.7	19.0	#
20/01/2018	μg/m³	1	9.1	10.4	12.5	12.0	7.6
21/01/2018	μg/m³	1	8.9	9.2	9.0	12.9	8.0

YANCOAL AUSTRALIA LTD
PAGE 3 OF 13

22/01/2018	μg/m³		10.1	14.3	25.8	15.2	12.1
23/01/2018	μg/m³		15.1	24.5	28.1	22.4	19.9
24/01/2018	μg/m³		16.6	18.3	25.6	20.1	18.3
25/01/2018	μg/m³		16.5	20.1	21.2	19.9	17.5
26/01/2018	μg/m³		30.5	36.4	36.7	32.4	31.5
27/01/2018	μg/m³		25.0	26.2	27.8	25.2	23.0
28/01/2018	μg/m³		8.5	8.9	9.7	15.7	7.0
29/01/2018	μg/m³		11.4	16.6	17.5	21.2	13.5
30/01/2018	μg/m³		12.2	#	#	18.0	14.0
31/01/2018	μg/m³		9.1	#	#	8.7	8.8
			Мо	nthly Meaningful Data			
January	μg/m³	Minimum*	5.4	7.8	8.8	7.4	5.8
January	μg/m³	Mean*	12.2	16.4	21.5	19.0	13.8
January	μg/m³	Maximum*	30.5	36.4	37.8	32.4	31.5
January	μg/m³	Median*	11.4	15.8	21.6	19.0	12.8

^{# 24} hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

YANCOAL AUSTRALIA LTD
PAGE 4 OF 13

^{*}Data calculated with missing 10 minute values due to equipment or communication issue

3 SURFACE WATER

3.1 Mine Water Discharge Monitoring

MTW participates in the Hunter River Salinity Trading Scheme (HRSTS), and maintains two monitoring locations associated with this scheme as follows:

- EPA Monitoring Point 1 (WML EPL 1376) Dam 1N Discharge Point
- EPA Monitoring Point 4 (MTO EPL 1976) The end of the discharge pipe from Dam 9

Mt Thorley Warkworth did not receive any discharge opportunities in the reporting period and no water was discharged. As such, no samples were collected at Monitoring Points 1 and 4 during the reporting period (shown in Table 2 below).

TABLE 2: MINE WATER DISCHARGE MONITORING

Discharge Point	Date	Pollutant	unit of measure	Licence Limits	No. of samples required by licence	No. of samples you collected and analysed
		Electrical Conductivity	microsiemens per centimetre	-	0	0
Dam 1N Discharge / EPL Point 1	N/A	рН	рН	6.5 - 9.0	0	0
		Total Suspended Solids	milligrams per litre	120	0	0
		Electrical Conductivity	microsiemens per centimetre	-	0	0
Dam 9S Discharge / EPL Point 4	N/A	рН	рН	6.5 - 9.0	0	0
		Total Suspended Solids	milligrams per litre	120	0	0

YANCOAL AUSTRALIA LTD

PAGE 5 OF 13

3.2 Hunter River Tributaries Monitoring

MTW undertakes routine monitoring in Loders Creek, in accordance with Condition M2.3, at the following location:

• EPA Monitoring Point 3 (MTO EPL 1976) – In Loders Creek, at the coal preparation plant access road bridge

Result of monitoring undertaken from W5 – Loders Creek is detailed in Table 3. Monthly sampling occurred on 12th January 2018, the data was obtained on 12th February 2018.

TABLE 3: HUNTER WATER TRIBUTARIES MONITORING

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples you collected and analysed	Value
	Electrical Conductivity	microsiemens per centimetre	Once a month	1	8760
	Liectrical Conductivity	microsiemens per centimetre	(min. of 4 weeks)	1	8700
Loders Creek / EPL Point 3	рН	pH units	Once a month	1	8.1
Louers Creek / LFL Foint 3	ρΠ	pri driits	(min. of 4 weeks)	1	0.1
	Total Suspended Solids	intel Common ded Calida		1	87
	Total Suspended Solids	milligrams per litre	(min. of 4 weeks)	1	07

3.3 Effluent Quality Monitoring

MTO undertakes routine monitoring in the MTO receiving lagoon (Dam 1S), in accordance with Condition M2.3, at the following location:

• EPA Monitoring Point 18 (MTO EPL 1976) - Dam 1S

Sampling is undertaken on a quarterly basis and as such no sampling was conducted in January 2018. The next sampling event will be in March 2018

YANCOAL AUSTRALIA LTD

PAGE 6 OF 13

TABLE 4: EFFLUENT QUALITY MONITORING

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples you collected and analysed	Value
Dam 1S / EPL Point 18	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	-	-
Dail 137 EFEFORE 18	рН	pH units	Once a quarter	-	-

4 BLAST MONITORING

In accordance with the requirements of Conditions M7.1 (WML 1376) and M8.1 (MTO 1976), Mount Thorley Warkworth maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at MTW. The following monitoring locations (EPA Monitoring Points 4/5, 5/6, 6/7, 7/8 and 8/9) are listed on the Licences for the purpose of assessing compliance with the airblast overpressure and ground vibration criteria:

- EPA Identification Number 4 (WML 1376) and Number 5 (MTO 1976) respectively Warkworth
- EPA Identification Number 5 (WML 1376) and Number 6 (MTO 1976) respectively Wambo Road
- EPA Identification Number 6 (WML 1376) and Number 7 (MTO 1976) respectively Bulga Village
- EPA Identification Number 7 (WML 1376) and Number 8 (MTO 1976) respectively Wollemi Peak Road
- EPA Identification Number 8 (WML 1376) and Number 9 (MTO 1976) respectively Putty Road MTIE

The last date sampled was on 31st January 2018. The data was obtained on the 9th February 2018.

During the reporting period no blasts exceeded the 115 dB(L) or the 5mm/s threshold for airblast overpressure and ground vibration respectively.

Blast monitoring results are detailed in Tables 5 (Airblast Overpressure) and 6 (Ground Vibration).

YANCOAL AUSTRALIA LTD PAGE 7 OF 13

TABLE 5: BLAST MONITORING (AIRBLAST OVERPRESSURE)

			Monitoring	EPL Li	mits	Monitoring Point					
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village	Wambo Road	Putty Rd MTIE	Warkworth	Wollemi Peak Road	
l50-bla-ptg1	4/01/2018 12:26	dB(L)		115	120	91.0	90.5	87.8	94.2	94.5	
w36-bla-ptg7	4/01/2018 13:13	dB(L)		115	120	93.8	94.6	94.1	91.6	96.1	
w34-rcd-pr9	5/01/2018 11:10	dB(L)		115	120	104.9	102.7	97.2	95.0	108.5	
w27-wwek-co w26-macj-co	6/01/2018 11:41	dB(L)		115	120	92.9	90.1	96.7	96.0	85.0	
w31-wnd-pr2	8/01/2018 13:13	dB(L)	All Disate	115	120	93.0	93.5	90.2	99.8	88.8	
l50-ble-ptg1	10/01/2018 13:02	dB(L)	All Blasts 100%	115	120	96.2	98.3	89.9	87.3	89.5	
w34-rcd-pr10	11/01/2018 12:31	dB(L)		115	120	99.6	105.6	92.8	104.8	98.8	
n35-gmc-ps1	12/01/2018 11:36	dB(L)		115	120	100.4	91.9	95.4	94.3	98.5	
n43-rca-pr7 n39-bla-ptg1	12/01/2018 11:37	dB(L)		115	120	101.7	103.4	100.7	100.5	97.2	
w27-wwek-co1	13/01/2018 12:16	dB(L)		115	120	105.5	92.5	91.4	99.5	100.0	

YANCOAL AUSTRALIA LTD
PAGE 8 OF 13

l50-ble-ptg2	15/01/2018 12:43	dB(L)	115	120	86.6	94.6	90.7	89.6	93.1
n35-gmc-pr1 n39-bla-ptg2	18/01/2018 11:18	dB(L)	115	120	100.6	101.9	98.3	101.7	97.8
l48-ble-ptg8	18/01/2018 12:41	dB(L)	115	120	98.8	90.0	89.7	94.8	97.5
n31-bfaj-co1	19/01/2018 10:35	dB(L)	115	120	90.5	93.0	97.4	97.6	86.8
w34-rcd-pr11	19/01/2018 12:02	dB(L)	115	120	102.9	101.8	96.1	89.8	97.7
n35-bla-ptg16 n35-gmc-ps2	22/01/2018 12:20	dB(L)	115	120	96.9	99.7	91.5	87.9	91.2
l49-gma-ps1	23/01/2018 12:09	dB(L)	115	120	95.8	100.4	89.3	88.5	97.6
w36-bla-pr2	24/01/2018 11:43	dB(L)	115	120	89.4	90.4	86.5	89.9	90.4
n35-gmc-pr2	24/01/2018 12:40	dB(L)	115	120	100.6	100.6	97.8	94.4	94.4
n41-wnd-pr5	25/01/2018 11:04	dB(L)	115	120	96.8	101.4	98.4	101.5	92.5
n32-bfa-ps5	25/01/2018 11:39	dB(L)	115	120	92.9	92.4	85.4	90.1	87.8
w26-wwek-co2	25/01/2018 13:11	dB(L)	115	120	87.4	90.3	98.6	88.5	86.2
w34-rcd-pr12	31/01/2018 11:14	dB(L)	115	120	96.6	99.0	97.4	95.1	93.7
l52-ble-ptg2 l49-gma-ps2	31/01/2018 13:09	dB(L)	115	120	95.7	101.4	98.6	94.4	93.7
			Monthly	Meaningful	Data				
Minimum	January	dB(L)	115	120	86.6	90.0	85.4	87.3	85.0
Mean	January	dB(L)	115	120	96.3	96.7	93.8	94.4	94.0

YANCOAL AUSTRALIA LTD

PAGE 9 OF 13

Maximum	January	dB(L)	115	120	105.5	105.6	100.7	104.8	108.5
Median	January	dB(L)	115	120	96.4	96.4	94.7	94.4	94.1

TABLE 6: BLAST MONITORING (GROUND VIBRATION)

				EPL L	imits	Monitoring Point				
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village	Wambo Road	Putty Rd MTIE	Warkworth	Wollemi Peak Road
l50-bla-ptg1	4/01/2018 12:26	mm/s		5	10	0.08	0.04	0.03	0.30	0.06
w36-bla-ptg7	4/01/2018 13:13	mm/s		5	10	0.23	0.12	0.04	0.08	0.15
w34-rcd-pr9	5/01/2018 11:10	mm/s		5	10	1.73	0.92	0.18	0.64	1.80
w27-wwek-co w26-macj-co	6/01/2018 11:41	mm/s	All Blasts	5	10	0.11	0.05	0.05	0.05	0.07
w31-wnd-pr2	8/01/2018 13:13	mm/s	100%	5	10	1.08	0.78	0.21	0.40	0.53
l50-ble-ptg1	10/01/2018 13:02	mm/s		5	10	0.12	0.05	0.02	0.05	0.10
w34-rcd-pr10	11/01/2018 12:31	mm/s		5	10	2.10	1.43	0.21	0.56	1.58
n35-gmc-ps1	12/01/2018 11:36	mm/s		5	10	0.33	0.41	0.12	0.56	0.35

YANCOAL AUSTRALIA LTD

PAGE 10 OF 13

w27-wwek-co1	13/01/2018 12:16	mm/s		5	10	0.12	0.06	0.04	0.10	0.10
l50-ble-ptg2	15/01/2018 12:43	mm/s		5	10	0.05	0.03	0.04	0.20	0.06
n35-gmc-pr1 n39-bla-ptg2	18/01/2018 11:18	mm/s		5	10	0.74	0.75	0.17	0.96	0.42
l48-ble-ptg8	18/01/2018 12:41	mm/s	-	5	10	0.07	0.05	0.05	0.07	0.07
n31-bfaj-co1	19/01/2018 10:35	mm/s	-	5	10	0.11	0.11	0.05	0.16	0.10
w34-rcd-pr11	19/01/2018 12:02	mm/s	-	5	10	2.06	1.04	0.20	0.80	1.19
n35-bla-ptg16 n35-gmc-ps2	22/01/2018 12:20	mm/s	1	5	10	0.20	0.39	0.10	0.32	0.26
l49-gma-ps1	23/01/2018 12:09	mm/s	-	5	10	0.53	0.34	0.10	0.32	0.50
w36-bla-pr2	24/01/2018 11:43	mm/s	-	5	10	0.54	0.24	0.11	0.13	0.23
n35-gmc-pr2	24/01/2018 12:40	mm/s		5	10	0.37	0.35	0.17	0.68	0.29
n41-wnd-pr5	25/01/2018 11:04	mm/s		5	10	1.50	1.28	0.24	0.77	0.95
n32-bfa-ps5	25/01/2018 11:39	mm/s		5	10	0.67	0.81	0.18	0.54	1.02
w26-wwek-co2	25/01/2018 13:11	mm/s	1	5	10	0.08	0.05	0.04	0.09	0.07
w34-rcd-pr12	31/01/2018 11:14	mm/s	1	5	10	1.04	0.98	0.14	0.43	0.91
l52-ble-ptg2 l49-gma-ps2	31/01/2018 13:09	mm/s	-	5	10	0.67	0.78	0.18	0.41	0.53

YANCOAL AUSTRALIA LTD
PAGE 11 OF 13

Minimum	January	mm/s	5	10	0.05	0.03	0.02	0.05	0.06
Mean	January	mm/s	5	10	0.63	0.53	0.12	0.39	0.49
Maximum	January	mm/s	5	10	2.10	1.57	0.24	0.96	1.80
Median	January	mm/s	5	10	0.45	0.37	0.11	0.36	0.32

YANCOAL AUSTRALIA LTD
PAGE 12 OF 13




Figure 1: Mount Thorley Warkworth Environmental Monitoring Locations